

HP aC++ Version A.01.15 Release Notes

HP Series 9000



5967-0004

August 1998

© Copyright 1998 Hewlett-Packard Company

Legal Notices

Copyright © Hewlett-Packard Company 1998. All rights are reserved. Reproduction, adaptation, or translation without prior written permission is prohibited, except as allowed under the copyright laws.

Hewlett-Packard makes no warranty of any kind with regard to this document, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose. Hewlett-Packard shall not be liable for errors contained herein nor direct, indirect, special, incidental or consequential damages in connection with the furnishing, performance, or use of this material. Information in this publication is subject to change without notice.

Corporate Offices: Hewlett-Packard Co., 3000 Hanover St., Palo Alto, CA 94304

Use, duplication or disclosure by the U.S. Government Department of Defense is subject to restrictions as set forth in paragraph (b)(3)(ii) of the Rights in Technical Data and Software clause in FAR 52.227-7013.

Rights for non-DOD U.S. Government Departments and Agencies are as set forth in FAR 52.227-19(c)(1,2).

Use of this document and flexible disc(s), compact disc(s), or tape cartridge(s) supplied for this pack is restricted to this product only. Additional copies of the programs may be made for security and back-up purposes only. Resale of the programs in their present form or with alterations, is expressly prohibited.

A copy of the specific warranty terms applicable to your Hewlett-Packard product and replacement parts can be obtained from your local Sales and Service Office.

© Copyright 1980, 1984, 1986 AT&T Technologies, Inc. UNIX and System V are registered trademarks of AT&T in the USA and other countries.

UNIX is a registered trademark in the United States and other countries, licensed exclusively through X/Open Company Limited.

PostScript is a trademark of Adobe Systems, Inc.

© Copyright 1985-1986, 1988 Massachusetts Institute of Technology. X Window System is a trademark of the Massachusetts Institute of Technology.

Contents

1. Features

New and Changed Features	7
Version A.01.07 Features	8
Version A.01.04 Features	9
Version A.01.00 Features	10
Migrating from HP C++ (cfront) to HP aC++.	12

2. Installation Information

Patch Installation Requirements	15
Current Run-time Support Library Required	16
Attention Softbench Users	16

3. Related Documentation

Online Documentation	17
<i>HP aC++ Online Programmer's Guide</i>	17
<i>Using Templates in HP aC++</i>	18
<i>HP-UX Linker and Libraries Online User Guide</i>	18
<i>HP DDE Debugger Online Help</i>	18
<i>HP Wildebeest Debugger (HP WDB)</i>	18
<i>Rogue Wave Software Standard C++ Library 1.2.1 Class Reference</i> ..	19
<i>Rogue Wave Software Tools.h++ 7.0.6 Class Reference</i>	19
<i>HP aC++ Release Notes</i>	19
<i>HP PA-RISC Compiler Optimization Technology White Paper</i>	19
Online Manual Pages	19
Online C++ Example Source Files	20
Printed Documentation	20
Other Documentation	20
Content of .o Files may Change	21

Contents

The Named Return Value (NRV) Optimization.	21
Linker Compatibility Warnings	22
4. Problem Descriptions and Fixes and Known Limitations	
Known Problems	25
Incompatibilities Between the Standard C++ Library and the Draft Standard26	
Unsatisfied Symbols if Using Non-current Run-time Support Library . 26	
Unsatisfied Symbols for Inline Template Functions.	27
Syntax Errors when Using /usr/include/sys/time.h.	27
Syntax Problems when Using /usr/include/math.h.	28
Warnings when using /usr/include/rpc/xdr.h	29
Binary Compatibility	29
Known Limitations.	30

Preface

This document provides the following information:

- features
- installation information
- related documentation
- problem descriptions and fixes and known limitations

Note: The software code printed in the release notes title indicates the software product version at the time of release. Some product and operating system changes do not require changes to documentation; therefore, do not expect a one-to-one correspondence between these changes and release notes updates.

Latest printing: August 1998

This document resides online in the file `/opt/aCC/newconfig/RelNotes/ACXX.release.notes`. You can print the online copy by using an `lp` command like the following:

```
lp -dprinter_name /opt/aCC/newconfig/RelNotes/ACXX.release.notes
```

Problem Reporting

If you have any problems with the software or documentation, please contact your local Hewlett-Packard Sales Office or Customer Service Center.

1 Features

This chapter summarizes the features included in this version of the HP aC++ compiler. Features introduced in prior release versions are also listed and grouped by the compiler version number.

The compiler supports *Final Draft International Standard*.

New and Changed Features

New features in HP aC++ version A.01.15 are listed below. They apply to HP-UX 10.10 and 10.20 operating systems.

The *HP aC++ Online Programmer's Guide* contains full documentation. (See Chapter 3 of these release notes for access instructions.).

- The *HP aC++ Online Programmer's Guide* has been updated from HP CDE format to HTML format viewable with your HTML browser. For details and access instructions, see Chapter 3 of these release notes under *Online Documentation*.
- Standards based features include the following:
 - covariant return types (except for covariant return types with multiply inheriting types)
 - Koenig lookup

Note: You must specify the `-Wc,-koenig_lookup,on` option.
- The `-I-` header file option invokes view-pathing. This option overrides the default `-I<directory>` option header file search path.
- Additional options for verbose compile and link information:
 - `+dryrun` - Requests compiler subprocess information without running the subprocesses.
 - `+time` - Requests subprocess execution times.
 - `-V` - Requests the current compiler and linker version numbers.

Features

Version A.01.07 Features

- +M[d] and +m[d] options to output the header files upon which your source code depends in a format accepted by the make(1) command.
- +We option allows you to selectively interpret a warning or future error as an error.
- The __HP_aCC predefined macro identifies the HP aC++ compiler.
- At this release, the +inline-level option defaults to 1. In the prior versions, A.01.09, A.01.12, A.03.05, A.03.10, the default was 0, no inlining was done (the same effect as the +d option).

This change was made based on customer feedback regarding object file size and runtime performance.

Version A.01.07 Features

New features in HP aC++ version A.01.15 are listed below. They apply to HP-UX 10.10 and 10.20 operating systems.

The *HP aC++ Online Programmer's Guide* contains full documentation. (See Chapter 3 of these release notes for access instructions.).

- The aC++ default template instantiation mechanism has changed to compile-time instantiation (CTTI). For source code containing templates, the new default may result in faster compile-time processing.

The previous default behavior remains available by specifying the +inst_auto command-line option when compiling and linking. If you provide archive or shared libraries for distribution, you may want to use +inst_auto to insure consistent behavior between each distribution of your libraries.

Also, if you provide either archive or shared library products, and your customers need to use the prior template instantiation default in their builds, you must compile your libraries by using the +inst_auto option.

Refer to the *HP aC++ Online Programmer's Guide* and to the online technical paper, *Using Templates in HP aC++*, for details about template instantiation and migration. For access instructions, see Chapter 3 of these release notes under *Online Documentation*.

- Member templates are supported, including those in pre-compiled headers.
- Updated versions of the Rogue Wave Standard C++ Library (version 1.2.1) and the Tools.h++ Foundation Class Library (version 7.0.6) are provided. HTML documentation for these libraries is also updated; see Chapter 3 of these release notes under *Online Documentation*.
- The *HP aC++ Online Programmer's Guide* has been updated, including additional migration and template information. For access instructions, see Chapter 3 of these release notes under *Online Documentation*.
- The technical paper, *Using Templates in HP aC++*, has been updated to describe the new default, compile-time template mechanism and additional information about template libraries. For access instructions, see Chapter 3 of these release notes under *Online Documentation*.

Version A.01.04 Features

Features introduced in the prior release, HP aC++ version A.01.04 are listed below. They apply to HP-UX 10.10 and 10.20 operating systems.

The *HP aC++ Online Programmer's Guide* contains full documentation. (See Chapter 3 of these release notes for access instructions.)

- +ESsfc — option to replace millicode calls with inline code when performing simple function pointer comparisons.
- +inline_level — option to control how C++ inlining hints influence HP aC++.
- +u — option to allow pointers to access non-natively aligned data. This option alters the way that the compiler accesses dereferenced data. Use of this option may reduce the efficiency of generated code.
- +W — option to selectively suppress warning messages.
- Support for new style casts as defined in the proposed C++ standard. The keywords `const_cast`, `reinterpret_cast`, and `static_cast` are supported.

Features

Version A.01.00 Features

- Partial support for the namespace and using keywords. User namespaces are supported. Standard C++ Library components not in namespace `std::` are not supported. Koenig lookup is not supported.
- Support for class template partial specializations.
- Extensive online documentation is provided, including the first edition of the technical document, *Using Templates in HP aC++*. Refer to Chapter 3 of these release notes for details.
- HP aC++ now supports level 4 optimization. The `+O4` compile-line option is supported.
- HP aC++ now supports profile-based optimization. The compile-line options `+dfname`, `+I`, `+P` and `+pgmname` are supported.

Version A.01.00 Features

Features introduced in the prior release, HP aC++ version A.01.00, are listed below. They apply to HP-UX 10.10 and 10.20 operating systems.

The *HP aC++ Online Programmer's Guide* contains full documentation. (See Chapter 3 of these release notes for access instructions.)

- Improved error messages allow you to quickly isolate problems in your code.
- Pre-compiled header files help you speed development substantially. Use them to reduce compilation time and object file size.
- An automatic template instantiation mechanism is provided. (Note, as of HP aC++ version A.01.05, this mechanism is no longer the default, although it is available by specifying the `+inst_auto` command-line option.)
- Explicit template instantiation (defined by the draft standard) is supported.
- Application thread-safe exception handling in shared libraries is supported.
- Inline functions are aggressively inlined.
- Standards based features include the following:

- keywords: `bool`, `dynamic_cast`, `explicit`, `mutable`, `typeid`, `typename`, `volatile`, `wchar_t`
- class: `type_info`
- explicit template instantiation
- overloading `new` and `delete` for arrays
- standard exception classes
- The following libraries are provided:
 - Rogue Wave Standard C++ Library Version 1.2.0, includes STL (updated at HP aC++ Version A.01.07 to library version 1.2.1)
 - Rogue Wave Tools.h++ Version 7.0.2 Foundation Class Library (updated at HP aC++ Version A.01.07 to library version 7.0.6)
 - cfront compatible Iostream Library
 - Standard Components Library (obsolete)
- Extensive online documentation is provided. Refer to Chapter 3 of these release notes.
- `+DA` designations for PA-RISC 2.0 model and processor numbers — to generate code for the PA-RISC 2.0 systems. The `+DAportable` option will generate code compatible across PA-RISC 1.1 and 2.0 workstations and servers.

Default architecture object code generation is now determined automatically for all systems as that of the machine on which you compile.
- `+DS` designations for PA-RISC 2.0 model and processor numbers -- to perform instruction scheduling tuned for PA-RISC 2.0 systems.

Default instruction scheduling is now determined automatically for all systems as that of the machine on which you compile, or on the setting of `+DA`, if it is specified.
- option `-l:<library>` — to support the `ld` feature.
- `+ESfic` option -- to replace millicode calls with inline code for fast indirect calls.
- 64-bit integral data types (`long long` and `unsigned long long`) are supported for HP aC++ applications needing large integers, such as large file system databases. Use the `-ext` command line option to specify.

Features

Migrating from HP C++ (cfront) to HP aC++

- HP aC++ features are supported by the HP Distributed Debugging Environment (DDE).
- The +help option invokes online help for the HP aC++ compiler and linker and libraries.

Migrating from HP C++ (cfront) to HP aC++

The compiler lists Errors, Future Errors and Warnings. Expect to see more warnings, errors and future errors reported in your code, many related to standards based syntax. For more complete information, refer to:

1. HP aC++ Transition Guide at the following world wide web URL:

<http://www.hp.com/go/hpc++/>

The *HP aC++ Online Programmer's Guide* section *Migrating from HP C++ (cfront) to HP aC++* contains a subset of the information found in the transition guide.

2. For general background information and experience, subscribe to the cxx-dev list server (like a notes group). Send a message to **majordomo@cxx.cup.hp.com** with the following command in the body of the message: **subscribe list-name**

Available list-names are as follows:

cxx-dev	HP C++ Development Discussion List
cxx-dev-announce	HP C++ Development Announcements
cxx-dev-digest	HP C++ Development Discussion List Digest

cxx-dev-announce is also broadcast to cxx-dev, so there is only a need to subscribe to one of the lists. The digest also includes both cxx-dev and cxx-dev-announce.

For additional help or information about the list server, send a message to majordomo@cxx.cup.hp.com with the following command in the body of the message: help

3. For specific support questions, contact your HP support representative.

4. For generic C++ questions, see documents and URL's listed in the *HP aC++ Online Programmer's Guide, Information Map*.

Some migration issues are listed below:

- The overload resolution for operators has been updated to reflect the latest version of the evolving draft standard. You may see some additional "ambiguous" function error messages displayed.
- Most frequently reported migration issue: `enum x { x1, };` The trailing comma is an error.
- Changes to temporary creation for rvalues used to initialize return values which are const references now causes:

```
Error 652: Exact position unknown; near file, line#.
Initialization of the result <some const &> requires creating a
temporary, yet the temporary's lifetime ends with the return
from the function.
```

- You can bracket your HP aC++ changes with the macro defined by the draft standard. For example:

```
#if __cplusplus >= 199707L
// HP aC++ Code
#endif // __cplusplus >= 199707L
```

- If you are using directed mode instantiation with the cfront based compiler, an awk script can be used to convert your file to an instantiation file that uses the explicit instantiation syntax. Note that explicit instantiation syntax can be used to instantiate a template and all of its member functions, an individual template function, or a template class's member function. The *HP aC++ Online Programmer's Guide* contains an example script.

Features

Migrating from HP C++ (cfront) to HP aC++

2 Installation Information

Read this entire document and any other release notes or readme files you may have before you begin an installation.

To install your software, run the SD-UX `swinstall` command. It will invoke a user interface that will lead you through the installation. For more information about installation procedures and related issues, refer to *Managing HP-UX Software with SD-UX* and other README, installation, and upgrade documentation provided or described in your HP-UX 10.x operating system package.

Depending on your environment, you may also need documentation for other parts of your system, such as networking, system security, and windowing.

HP aC++ requires approximately 80 MB of disk space: 28 MB for the files in `/opt/aCC` and 50 MB for DDE, Blink Link, HP/PAK, and WDB.

Patch Installation Requirements

Patch id	When to install
PHKL_8693	- If the <code>sys/time.h</code> header file is used (series 700).
PHKL_8694	- If the <code>sys/time.h</code> header file is used (series 800).
PHSS_13124	- If any of the debug (<code>-g</code>) options are used.
PHCO_14645	- If <code>libc</code> header files are used.

In addition, it is recommended that you install the core patches distributed on the extension software media.

Current Run-time Support Library Required

To work correctly, an application must be linked to or run with an HP aC++ run-time support library (libCsup.a or libCsup.sl) that comes with this version of HP aC++ or a subsequent version. Linking with an older version of libCsup.a or running your application with an older version of libCsup.sl (the default) may cause spurious failures.

Attention Softbench Users

You should install Softbench (DDE and PAK) before installing HP aC++. This is because HP aC++ is packaged with DDE and a DDE specific patch. Not installing in this order results in an unsupported configuration.

3 Related Documentation

Documentation for HP aC++ is described in the following sections.

Online Documentation

The following online documentation is included with the HP aC++ product.

HP aC++ Online Programmer's Guide

Access the guide in any of the following ways:

- Use the `+help` command-line option. (Be sure `/opt/aCC/bin/` is in your path.)

```
aCC +help
```

- From your web browser menu bar, use the left mouse button to choose File and Open File. Enter the following file name:

```
/opt/aCC/html/C/guide/index.htm
```

NOTE

All of the files composing the guide are installed in the `/opt/aCC/html/` directory. If you choose to move the entire guiden to a different location without having to edit any links, you will need to move all of the subdirectories in `/opt/aCC/html`.

- The guide is also available on the World Wide Web at the following URL:

```
http://docs.hp.com/hpux/development/
```

Related Documentation
Online Documentation

Using Templates in HP aC++

This technical document summarizes template features defined in the proposed C++ standard and describes template instantiation as implemented in HP aC++. It is provided with HP aC++ in both postscript and HTML format in the following locations:

/opt/aCC/newconfig/TecDocs/templates.ps

/opt/aCC/newconfig/TecDocs/templates.htm

NOTE

You can select the HTML version from the initial window of the *HP aC++ Online Programmer's Guide*.

HP-UX Linker and Libraries Online User Guide

This Guide may not be installed on pre-HP-UX 10.20 systems. In this case, refer to the later section in this chapter, *Linker Compatibility Warnings*, for valuable information.

To access, use the linker command with the +help option. (Be sure `usr/ccs/bin/` is in your path.)

```
ld +help
```

HP DDE Debugger Online Help

Select help from the DDE Menu Bar.:

HP Wildebeest Debugger (HP WDB)

All of the HP WDB documentation is available online at the following World Wide Web directory:

<http://www.hp.com/go/languages>

Select "HP Debuggers" to learn about WDB, or download the product and documentation.

Rogue Wave Software Standard C++ Library

1.2.1 Class Reference

This reference provides an alphabetical listing of all of the classes, algorithms, and function objects in the Rogue Wave implementation of the Standard C++ Library. It is provided as HTML formatted files. You can view these files if you have access to an HTML viewer such as Netscape. To do so, open the file `/opt/aCC/html/libstd/ref.htm`

Rogue Wave Software Tools.h++ 7.0.6 Class Reference

This reference describes all of the classes and functions in the Tools.h++ Library. It is provided as HTML formatted files. You can view these files if you have access to an HTML viewer such as Netscape. To do so, open the file `/opt/aCC/html/librwtool/ref.htm`

NOTE

Refer to the Information Map in the *HP aC++ Online Programmer's Guide* for how to obtain additional Rogue Wave documentation and information.

HP aC++ Release Notes

This is the document you are reading. The online ASCII file can be found in `/opt/aCC/newconfig/RelNotes/ACXX.release.notes`

HP PA-RISC Compiler Optimization Technology White Paper

This paper describes the benefits of using optimization. It is available in the postscript file `/opt/langtools/newconfig/white_papers/optimize.ps`

Online Manual Pages

Online manual pages for aCC and c++filt are at `/opt/aCC/share/man/man1.Z`.

Manual pages for the Standard C++ Library and the cfront compatibility libraries (IOStream and Standard Components) are provided under `/opt/aCC/share/man/man3.Z`. (Note for Standard Components only,

Related Documentation

Printed Documentation

invoke a man page by entering 3s after the man command and before the man page name. For example, to invoke the man page for Args: man 3s Args)

Japanese man pages are located at:

```
/opt/aCC/share/man/ja_JP.eucJP/man1.z and  
/opt/aCC/share/man/ja_JP.eucJP/man3.z (euc character set)
```

```
/opt/aCC/share/man/ja_JP.SJIS/man1.z and  
/opt/aCC/share/man/ja_JP.SJIS/man3.z (SJIS character set)
```

Online C++ Example Source Files

Online C++ example source files are located in the directory, /opt/aCC/contrib/Examples/RogueWave. These include examples for the Standard C++ Library and for the Tools.h++ Library.

Printed Documentation

- *HP aC++ Release Notes* is this document. A printed copy of the release notes is provided with the HP aC++ product.

Release notes are also provided online, as noted above.

Other Documentation

Refer to the *HP aC++ Online Programmer's Guide Information Map* for documentation listings, URL's, and course information related to the C++ language. Also, see below.

The following documentation is available for use with HP aC++. To order printed versions of Hewlett-Packard documents, refer to manuals(5).

- *HP/DDE Debugger User's Guide* contains information on debugging C++ programs with the HP Distributed Debugging Environment on the HP 9000.

- *Getting Started with SoftBench on HP-UX 10.x* contains SoftBench tutorials for C, C++, and COBOL.
- *C and C++ SoftBench User's Guide for HP-UX 10.x* contains information on using C and C++ SoftBench.
- *Installing and Customizing SoftBench Products* contains installation and customization information for SoftBench Products on HP-UX 9.x, HP-UX 10.x and Solaris.

Content of .o Files may Change

The following applies when you use an aCC command-line option that invokes the assigner.

The content of a given .o file can potentially change when it is used in a closure (with the +inst_close option) or link operation. The change may occur in either of the following cases:

- You change the order of .o file's on the link line. For example, if you compile and link A.c and B.c multiple times as follows, the contents of A.o and B.o may not be the same following the second link as they were following the first link:

```
aCC -c A.c B.c
aCC A.o B.o

aCC -c A.c B.c
aCC B.o A.o
```

- You link a .o file with different objects. In the following example, the content of A.o may not be the same following the second link as it was following the first link:

```
aCC A.o B.o
aCC A.o C.o
```

The Named Return Value (NRV) Optimization

Syntax: `-Wc, -nrv_optimization, [off|on]`

The above syntax disables (default) or enables the named return value (NRV) optimization. For this optimization to work correctly in conjunction with exception handling, the application must be linked to an aC++ run-time support library that comes with HP aC++ A.01.04 or a subsequent version. Linking with a prior library may cause spurious

Related Documentation

Other Documentation

failures. If the shared version of this library is selected (default), the platform on which the application is run must also have that release of the HP aC++ run-time support library (libCsup.sl).

The NRV optimization eliminates a copy-constructor call by allocating a local object of a function directly in the caller's context if that object is always returned by the function. For example:

```
struct A {
    A(A const&); // copy-constructor
};

A f(A const& x) {
    A a(x);
    return a; // Will not call the copy constructor if the
             // optimization is enabled.
}
```

This optimization will not be performed if the copy-constructor was not declared by the programmer. Note that although this optimization is allowed by the ISO/ANSI C++ working paper, it may have noticeable side-effects.

Example: `aCC -Wc,-nrv_optimization,on app.C`

Linker Compatibility Warnings

Beginning with the HP-UX 10.20 release, the linker generates compatibility warnings. These warnings include HP 9000 architecture issues, as well as linker features that may change over time.

Compatibility warnings can be turned off with the `+v[no]compatwarnings` linker option. Also, detailed warnings can be turned on with the `+vallcompatwarnings` linker option.

Link time compatibility warnings include the following:

- Linking PA-RISC 2.0 object files on any system — PA-RISC 1.0 programs will run on 1.1 and 2.0 systems. PA-RISC 2.0 programs will not run on 1.1 or 1.0 systems.
- Dynamic linking with `-A` — If you do dynamic linking with `-A`, you should migrate to using the Shared Library Management Routines. These routines are also described in the `sh_load(3X)` man page.
- Procedure call parameter and return type checking (which can be specified with `-C`) — The current linker checks the number of symbols, parameters, and procedure calls across object files. In a

future release, you should expect HP compilers to perform cross-module type checking, instead of the linker. This impacts HP Pascal and HP Fortran programs.

- Duplicate names found for code and data symbols — The current linker can create a program that has a code and data symbol with the same name. In a future HP-UX release, the linker will adopt a single name space for all symbols. This means that code and data symbols cannot share the same name. Renaming the conflicting symbols solves this problem.
- Unsatisfied symbols found when linking to archive libraries — If you specify the `-v` option with the `+vallcompatwarnings` option and link to archive libraries, you may see new warnings.
- Versioning within a shared library — If you do versioning within a shared library with the `HP_SHLIB_VERSION` (C and C++) or the `SHLIB_VERSION` (Fortran and Pascal) compiler directive, you should migrate to the industry standard and faster performing library-level versioning.

Related Documentation
Other Documentation

4 Problem Descriptions and Fixes and Known Limitations

This chapter summarizes the known problems and limitations of the current version of HP aC++ except as otherwise noted.

NOTE

HP-UX 10.10 is the last supported OS for PA-RISC 1.0 architecture machines. HP-UX 10.20 no longer supports execution of PA-RISC 1.0 code, and 10.20 compilers no longer support the compilation of PA-RISC 1.0 code.

See the latest *HP-UX Software Status Bulletin* support document for other known problems.

Known Problems

Customers on support can use the product number to assist them in finding SSB and SRB reports for HP aC++. The product number you can search for is B3910BA.

To verify the product number and version for your HP aC++ compiler, execute the following HP-UX commands:

```
what /opt/aCC/lbin/ctcom
```

```
what /opt/aCC/bin/aCC
```

To verify the product number and version for the linker:

```
what /opt/aCC/lbin/ld
```

To verify the product number and version for the shared library initializer:

```
what /usr/lib/aCC/dld.sl
```

Following are known problems and workarounds.

Known Problems

Incompatibilities Between the Standard C++ Library and the Draft Standard

As the ANSI C++ draft standard has evolved over time, the Standard C++ Library has not always kept up. Such is the case for the “times” function object in the functional header file. In the standard, “times” has been renamed to “multiplies.”

If you want to use “multiplies” in your code, to be compatible with the ANSI C++ draft standard, use a conditional compilation flag on the aCC command line.

For example, for the following program, compile with the command line:

```
aCC -D__HPACC_USING_MULTIPLIES_IN_FUNCTIONAL test.c
```

```
// test.c
int times;                               //user defined variable
#include <functional>
// multiplies can be used in

int main() {}
// end of test.c
```

Depending on the existence of the conditional compilation flag, functional defines either “times”, or “multiplies”, not both.

So, if you have old source that uses “times” in header functional and also new source that uses “multiplies”, the sources cannot be mixed. Mixing the two sources would constitute a non-conforming program, and the old and new sources may or may not link.

If your code uses the old name “times,” and you want to continue to use the now non-standard “times” function object, you do not need to do anything to compile the old source.

Unsatisfied Symbols if Using Non-current Run-time Support Library

If you see a message like the following, you may be using a non-current version of the HP aC++ run-time support library.

```
/opt/aCC/lbin/ld: Unsatisfied symbols:
Class tables [Vtable] dependent on key function:
  "__versioned_type_info::~__versioned_type_info()" (data)
```

For example, if you are a library distributor, you must ensure that your customers use the same or a newer version of the libCsup run-time library as you. If necessary, you should install the most current HP aC++ library support patch and distribute this patch to your customers.

As of the date of these release notes, the most current library support patch number is: PHSS_15043

Unsatisfied Symbols for Inline Template Functions

If you use explicit instantiation instead of closing a library, and you compile with the `+inst_auto` option, then unsatisfied symbols will be generated for inline template functions that are too large to inline.

Syntax Errors when Using `/usr/include/sys/time.h`

If you see the following error message, it means that `CLOCKS_PER_SEC` is not defined:

```
Error 171: "7198.C", line 2 # Undeclared variable
`CLOCKS_PER_SEC'.  int i = CLOCKS_PER_SEC;
                        ^^^^^^^^^^^^^^^^^
```

The workaround is to modify the `/usr/include/sys/time.h` file as follows:

1. Find the first occurrence of:

```
#endif /* _INCLUDE__STDC__ */
```

2. Immediately before the first occurrence of the above line, add the following code, replacing `SomeValue` with the value you need (1000000 would be the system default):

```
#else
#ifdef __cplusplus
#define CLOCKS_PER_SEC SomeValue
#endif
```

The `/usr/include/sys/time.h` file contains a K & R style function declaration for which HP aC++ generates an error like the following:

```
Error 43: "/usr/include/sys/time.h", line 487 # C++ does not allow
Old-style (non-prototype) function definitions.
```

Known Problems

To workaround, whenever `time.h` is included by a source program, you can define the `__STDC__` macro on your command-line, as in the following example:

```
aCC -D__STDC__
```

Or you can install the appropriate patch listed below:

```
PHKL_8691    series 700    HP-UX 10.10
PHKL_8692    series 800
```

```
PHKL_8693    series 700    HP-UX 10.20
PHKL_8694    series 800
```

HP aC++ generatres an error like the following stating that structs or any types cannot be declared extern.

```
Error 608: "/usr/include/sys/time.h", line ??? # Types may not be
declared static, auto, register, extern or mutable.
extern struct sigevent;
^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```

The error is caused by a problem in the `/usr/include/sys/time.h` file. To workaround, you can change the line `extern struct sigevent;` in the `time.h` file to:

```
struct sigevent;
```

Or you can install the appropriate patch listed below:

```
PHKL_7962    series 700    HP-UX 10.20
PHKL_7963    series 800
```

Syntax Problems when Using `/usr/include/math.h`

To resolve a conflict between the exception struct in `/usr/include/sys/math.h` and the aC++ exception struct, the workaround is to modify the `/usr/include/math.h` file as follows:

1. Find the line:

```
#define _MATH_INCLUDED
```

2. Immediately following the above line, add the next line:

```
#define exception math_exception
```

3. Find the line:

```
#endif /* _MATH_INCLUDED */
```

4. Immediately before the above line, add this line:

```
#undef exception
```

Alternatively, you can install the PHCO_9261 patch.

Warnings when using /usr/include/rpc/xdr.h

Compile-time warnings like the following should be ignored. They are caused by an incorrect prototype in the /usr/include/rpc/xdr.h file.

```
Warning 301: "/YourFileName/usr/include/rpc/xdr.h", line 276 # The  
(...) parameter list is a non-portable feature.  
extern bool_t xdrrec_eof(__o);          /* true iff no more input */
```

Binary Compatibility

An application that ran on previous HP-UX 10.x releases (10.01, 10.10, or 10.20) will generally continue to run with the same behavior with this 10.20-based HP aC++ release provided that any dependent shared libraries are also present. An executable is a binary file that has been processed by the HP linker with ld or indirectly with the compiler, and can be run by the HP-UX loader(exec).

The following items describe exceptions to binary compatibility between the previous 10.20 and current releases. These conditions can occur during your development process, but rarely affect deployed applications.

Binary Incompatibilities without Changes

Under the following conditions, when you compile your source code without any changes (to source code, options, or makefiles), you can create relocatable object files or executables that cannot be moved back to a previous 10.x system.

- Instrumented code with PBO or +O4 optimization

If you use PBO (+I compiler or linker option) or the +O4 option during development and recompile with your current compiler, you may create instrumented objects (ISOM) that a previous system does not recognize.

NOTE

This code may not be backward-compatible with previous 10.x releases. In general, you cannot move instrumented object files backward.

If you move an ISOM across operating system versions, for example, from an 11.x system to a 10.x system, you may receive the following error:

Known Limitations

```
Error at line 0: Backend Assert ** Ucode versions earlier than
v.4 no longer supported. (5172)
```

Binary Incompatibilities with Changes

When you make changes to your source code, options, or makefiles to use new features of the current release, you can introduce the following area of binary incompatibility.

- Open Graphics Library (OGL) Support

This release provides OGL support to improve performance. If you make changes to your source code to recompile using the OGL headers, you receive the message “invalid fixup” when you link your relocatable object file or run your executable on a previous 10.x system. .

Known Limitations

Some of these limitations will be removed in future releases of HP aC++. Please be aware that some of these limitations are platform-specific.

- The `-Wc,-koenig_lookup,on` option enables argument-dependent name lookup, but currently fails for function calls with explicit template-arguments. For example: `f<X>(a);` // Compiler fails if `-Wc,-koenig_lookup,on`
- HP aC++ does not support the xdb debugger. Instead, use the HP WDB Debugger available on the World Wide Web (see Chapter 3 of these release notes for the URL). Or use the HP/DDE Debugger supplied with the product.
- HP aC++ does not and will not in the future support installation and/or execution on HP-UX 9.x systems.
- HP aC++ does not support large files (i.e., greater than 2 GB) with `<iostream.h>`.
- Note that although the compiler will run on the PA RISC 1.0 architecture, an HP aC++ executable will run only on the PA RISC 1.1 or later architecture.
- Known limitations of exception handling features:

- Interoperability with `setjmp/longjmp` (undefined by the C++ draft proposed international standard) is unimplemented. Executing `longjmp` does not cause any destructors to be run.
- If an unhandled exception is thrown during program initialization phase (that is, before the main program begins execution) destructors for some constructed objects may not be run.
- Symbolic debugging information is not always emitted for objects which are not directly referenced. For instance, if a pointer to an object is used but no fields are ever referenced, then HP aC++ only emits symbolic debug information for the pointer type and not for the type of object that the pointer points to. For instance, use of `Widget *` only emits debug information for the pointer type `Widget *` and not for `Widget`. If you wish such information, you can create an extra source file which defines a dummy function that has a parameter of that type (`Widget`) and link it into the executable program.
- Known limitations of signal handling features:
 - Throwing an exception in a signal handler is not supported, since a signal can occur anywhere, including optimized regions of code in which the values of destructible objects are temporarily held in registers. Exception handling depends on destructible objects being up-to-date in memory, but this condition is only guaranteed at call sites.
 - Issuing a `longjmp` in a signal handler is not recommended for the same reason that throwing an exception is not supported. The signal handler interrupts processing of the code resulting in undefined data structures with unpredictable results.
- Source-level debugging of C++ shared libraries is supported. However, there are limitations related to debugging C++ shared libraries, generally associated with classes whose member functions are declared in a shared library, and that have objects declared outside the shared library where the class is defined. Refer to the appropriate release notes and manuals for the operating system and debugger you are using.

Refer also to the Software Status Bulletin for additional details.
- Instantiation of shared objects in shared memory is not supported.

Known Limitations

- When you call the `<shl_load>(3)` routines in `libdld.sl` either directly or indirectly (as when your application calls use the `+A` option, you will get an "unresolved externals" error.

If you want to link archive libraries and `libdld.sl`, use the `-Wl,-a`, archive option. The following example directs the linker to use the archive version of standard libraries and (by default) `libdld.sl`.

```
aCC prog.o -Wl,-a,archive
```

- Using `shl_load(3X)` with Library-Level Versioning

Once library-level versioning is used, calls to `shl_load()` (see `shl_load(3X)`) should specify the actual version of the library that is to be loaded. For example, if `libA.sl` is now a symbolic link to `libA.1`, then calls to dynamically load this library should specify the latest version available when the application is compiled, such as:

```
shl_load("libA.1", BIND_DEFERRED, 0);
```

This will insure that, when the application is migrated to a system that has a later version of `libA` available, the actual version desired is the one that is dynamically loaded.

- Memory Allocation Routine `alloca()`

The compiler supports the built in function, `alloca`, defined in the `/usr/include/alloca.h` header file. The implementation of the `alloca()` routine is system dependent, and its use is not encouraged.

`alloca()` is a memory allocation routine similar to `malloc()` (see `malloc(3C)`). The syntax is:

```
void *alloca(size_t <size>);
```

`alloca()` allocates space from the stack of the caller for a block of at least `<size>` bytes, but does not initialize the space. The space is automatically freed when the calling routine exits.

NOTE

Memory returned by `alloca()` is not related to memory allocated by other memory allocation functions. Behavior of addresses returned by `alloca()` as parameters to other memory functions is undefined.

To use this function, you can use the `<alloca.h>` header file.