HP ServiceControl 1.0 Release Note for **HP Domain Commerce**

Edition 2



Manufacturing Part Number: J4246-90016 E0699

U.S.A.

 $^{\odot}$ Copyright 1999, Hewlett-Packard Company.

Legal Notices

The information in this document is subject to change without notice.

Hewlett-Packard makes no warranty of any kind with regard to this manual, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose. Hewlett-Packard shall not be held liable for errors contained herein or direct, indirect, special, incidental or consequential damages in connection with the furnishing, performance, or use of this material.

Warranty. A copy of the specific warranty terms applicable to your Hewlett- Packard product and replacement parts can be obtained from your local Sales and Service Office.

Restricted Rights Legend. Use, duplication or disclosure by the U.S. Government is subject to restrictions as set forth in subparagraph (c) (1) (ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.227-7013 for DOD agencies, and subparagraphs (c) (1) and (c) (2) of the Commercial Computer Software Restricted Rights clause at FAR 52.227-19 for other agencies.

HEWLETT-PACKARD COMPANY 3000 Hanover Street Palo Alto, California 94304 U.S.A.

Use of this manual and flexible disk(s) or tape cartridge(s) supplied for this pack is restricted to this product only. Additional copies of the programs may be made for security and back-up purposes only. Resale of the programs in their present form or with alterations, is expressly prohibited.

Copyright Notices. ©copyright 1983-98 Hewlett-Packard Company, all rights reserved.

Reproduction, adaptation, or translation of this document without prior written permission is prohibited, except as allowed under the copyright laws.

©copyright 1979, 1980, 1983, 1985-93 Regents of the University of California

This software is based in part on the Fourth Berkeley Software Distribution under license from the Regents of the University of California.

- ©copyright 1980, 1984, 1986 Novell, Inc.
- ©copyright 1986-1992 Sun Microsystems, Inc.
- ©copyright 1985-86, 1988 Massachusetts Institute of Technology.
- ©copyright 1989-93 The Open Software Foundation, Inc.
- ©copyright 1986 Digital Equipment Corporation.
- ©copyright 1990 Motorola, Inc.
- ©copyright 1990, 1991, 1992 Cornell University
- ©copyright 1989-1991 The University of Maryland
- ©copyright 1988 Carnegie Mellon University

Trademark Notices. UNIX is a registered trademark in the United States and other countries, licensed exclusively through X/Open Company Limited.

X Window System is a trademark of the Massachusetts Institute of Technology.

MS-DOS and Microsoft are U.S. registered trademarks of Microsoft Corporation.

OSF/Motif is a trademark of the Open Software Foundation, Inc. in the U.S. and other countries.

Netscape, Netscape Navigator, and the Netscape N logo are registered trademarks of Netscape Communications Corporation in the United States and other countries. Netscape Communicator, Netscape Enterprise Server, and Netscape FastTrack Server are also trademarks of Netscape Communications Corporation, which may be registered in other countries.

Cisco is a registered trademark of Cisco Systems, Inc.

Contents

1. HP ServiceControl

Announcements
What's In this Version?
Known Problems and Workarounds
HP Domain Enterprise Server Management System (HP DESMS)12
Compatibility and Installation Requirements15
Hardware
Disk Space (Estimated)
Patches in this Version

Contents

Printing History

The manual printing date and part number indicate its current edition. The printing date will change when a new edition is printed. Minor changes may be made at reprint without changing the printing date. The manual part number will change when extensive changes are made.

Manual updates may be issued between editions to correct errors or document product changes. To ensure that you receive the updated or new editions, you should subscribe to the appropriate product support service. See your HP sales representative for details.

First Edition: December 1998 (HP-UX Release 10.20)

Second Edition: June 1999 (HP-UX Release 10.20)

1 HP ServiceControl

Announcements

HP ServiceControl (HP SC), also know as Web Quality of Service (QoS), is a web-based solution that provides the quality of service needed to maintain your web applications. Using HP SC, you can configure, administer, operate, and monitor your system and control the sessions admitted to your web server such that it does not become overloaded. You can also configure your system to work with Cisco LocalDirector.

What's In this Version?

HP ServiceControl is available on HP-UX 10.20 and 11.0.

Because HP Domain Commerce uses HP ServiceControl 1.0 (a later version of HP ServiceControl is available), this release note has been specifically updated for HP Domain Commerce. HP Domain Commerce is only available on HP-UX 10.20.

For this release, the HP Domain Enterprise Server Management System (HP DESMS) no longer includes a default login.

Chapter 1 11

Known Problems and Workarounds

HP AdmissionControl

 If you have installed more than one instance of a Netscape Server on your system, you can only use HP AdmissionControl (HP AC) on one instance of a Netscape Server. If you configure HP AC on more than one instance and try to start the Netscape Server, the following message appears:

```
initHPAC: couldn't open cluster port
```

The Netscape Server instance will not start.

If you configured HP AC on more than one instance of a Netscape Server, you can either run /opt/hpac/setup -r to remove the HP AC software or edit each server's obj.conf file and remove "hpac" from all but one server instance.

HP LocalDirector Controller

 Ignore the following error message if it appears in the swagent.log file after you installed HP LocalDirector Controller:

HP Domain Enterprise Server Management System (**HP DESMS**)

Add the following to your system's PATH environment variable:

```
/opt/ns-navigator
```

- If you are behind a firewall, you must set the proxies for your browser before accessing the HP Software Depot, HP Internet Solutions, Access HP, or other external web pages.
- If another web browser is spawned for a man page or an additional help page, do not run HP DESMS from the spawned page. The links on the spawned page will not work.

Known Problems and Workarounds

- If you upgraded to HP DESMS version B.01.04, clear your browser's memory and disk cache before connecting to the HP DESMS home page (http://hostname:8181).
- If you start the HP Administration Server and you receive the message

```
bind: Address already in use
httpd: could not bind to port 8181
```

the administration server may already be running or another service is using port 8181. You should:

- 1. Check if the HP Administration Server is already running. Type ps -ef | grep hp-webadm. If an hp-webadm process status is returned, the administration server is already running.
- 2. Change the port number used by the HP Administration Server. Edit the Port directive in the

/opt/hpwebsuite/admserv/conf/httpd.conf file. Stop the HP Administration Server (by typing /opt/hpwebsuite/stop-admin) and then restart it (by typing /opt/hpwebsuite/start-admin).

 During system startup, when the HP Administration Server is run, if the following message appears

```
httpd: cannot determine local host name.
Use ServerName to set it manually.
it is because the local system is not configured as a DNS client (configuration must be done before installing the software). Do the following:
```

- 1. Edit /opt/hpwebsuite/admserv/conf/httpd.conf.
 - a. Find the line #ServerName host.foo.com and delete the "#" (pound sign).
 - b. Replace the name host.foo.com with the local host's name.
- 2. Stop and restart the HP Administration Server by typing

```
/opt/hpwebsuite/stop-admin
/opt/hpwebsuite/start-admin
```

- If you run swremove, sometimes it does not kill all of the HP Administration Server processes. Do the following:
 - 1. Type ps -ef | grep hp-webadm
 - 2. Kill any hp-webadm process listed.

Chapter 1 13

Known Problems and Workarounds

- Rotate the internal tracing and logging files when the size exceeds 1,000 KB. The trace file is
 - /var/opt/hpwebsuite/hpwebadm/conf/trace/desmstrace and the log file is /var/opt/hpwebsuite/hpwebadm/conf/log/desmslog.
- The log keeper and HTTP performance module can only be run using Netscape Communicator 4.0 with Netscape's patch that makes the Communicator JDK1.1 compliant. Download the patch from Netscape's web page
 - http://developer.netscape.com/software/jdk/download.html#UNIX INSTALL.
- If you are using version 3.02 of the Microsoft Internet Explorer with HP DESMS, if the button to choose the type of node configuration does not appear, type the following to choose the appropriate node type:

Node Type	URL to Type	
Management	http://hostname:8181/install/cgi-bin/SetupWebAdm.cgi/setup 98?Action=ProcessType&type=Management	
Managed	http://hostname:8181/install/cgi-bin/SetupWebAdm.cgi/setup98?Action=ProcessType&type=Managed	
Unmonitored	http://hostname:8181/install/cgi-bin/SetupWebAdm.cgi/setup98?Action=ProcessType&type=Unmonitored	

Compatibility and Installation Requirements

The following is the list of requirements to install all the components of HP ServiceControl (HP SC). If you are installing a subset of the components, go to the *HP Domain ServiceControl Concepts and Operation Guide* for a list of requirements for each component. Information about HP Domain Enterprise Server Management System can be found in the *Getting Started with HP Domain Software* manual.

Hardware

- HP 9000 computer system
- 32 MB of memory
- CD-ROM drive to load the software

Software

- Netscape Enterprise or FastTrack Server version 3.0 or later
- Cisco LocalDirector version 2.1 or later

Operating System Requirements

HP-UX 10.20

Disk Space (Estimated)

• 80 MB

Installation Requirements

Root login to run swinstall

Other Requirements

• A system already running Cisco LocalDirector version 2.1 or later

Chapter 1 15

Patches in this Version

Patches

To determine all patches applied to your system, type swlist -1 file | grep PH

Install the following patch on your system:

Patch Number	Platform	Automatic Reboot?	Description
PHSS_16585	Workstation/ Server	no	10.20 aC++ runtime library components for HP LDC. Install this patch if you did not install the Extension Software Media.

Patches can be obtained from the HP Electronic Support Center web page at the URL http://us-support.external.hp.com/.

If this patch is not available, contact your HP support representative for the latest versions.