Enterprise Cluster Master Toolkit Version B.01.01 Release Notes



Manufacturing Part Number: B5139-90026 November 1999

© Copyright 1999 Hewlett-Packard Company

Legal Notices

The information contained in this document is subject to change without notice.

Hewlett-Packard makes no warranty of any kind with regard to this manual, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose. Hewlett-Packard shall not be liable for errors contained herein or direct, indirect, special, incidental or consequential damages in connection with the furnishing, performance, or use of this material.

Copyright © 1999 Hewlett-Packard Company.

This document contains information which is protected by copyright. All rights are reserved. Reproduction, adaptation, or translation without prior written permission is prohibited, except as allowed under the copyright laws.

HP ClusterView, HP OpenView, HP OpenView IT/Operations, MC/LockManager, and MC/ServiceGuard are products of Hewlett-Packard Company, and all are protected by copyright.

Corporate Offices:

```
Hewlett-Packard Co.
3000 Hanover St.
Palo Alto, CA 94304
```

Use, duplication or disclosure by the U.S. Government Department of Defense is subject to restrictions as set forth in paragraph (b)(3)(ii) of the Rights in Technical Data and Software clause in FAR 52.227-7013.

Rights for non-DOD U.S. Government Departments and Agencies are as set forth in FAR 52.227-19(c)(1,2).

Use of this manual and flexible disc(s), compact disc(s), or tape cartridge(s) supplied for this pack is restricted to this product only. Additional copies of the programs may be made for security and back-up purposes only. Resale of the programs in their present form or with alterations, is expressly prohibited.

A copy of the specific warranty terms applicable to your Hewlett-Packard product and replacement parts can be obtained from your local Sales and Service Office.

1 Enterprise Cluster Master Toolkit Version B.01.01 Release Notes

Announcements

The Enterprise Cluster Master Toolkit is a set of templates and scripts that allow you to configure ServiceGuard packages for the HP Domain Internet servers as well as for several third-party database management systems. This unified set of high availability tools is being released together for both HP-UX 10.20 and HP-UX 11.0 in version B.01.01 with the following product number:

B5139BA license and media

The master toolkit is a collection of specific product toolkits, which include the following:

- HA Foundation Monitor toolkit, designed to monitor the status of an entire mission critical environment.
- HA internet toolkits for use with HP Domain server products.
- Database toolkits for Oracle, Informix, Sybase, and Progress database management systems.

What's in this Version

Effective with this release, the following product toolkits are available:

HA Foundation Monitor. This toolkit is designed to monitor the status
of the mission critical environment. It assists the HP support
engineer with tracking cluster availability in the areas of cluster
nodes, network components, and packages. A cluster availability
report will be generated nightly if an event occurs in any of these
areas.

Refer to the file readme.pdf, which accompanies the monitor script, for detailed information on installing and configuring the HA Foundation monitor.

- HA Internet Toolkits. These toolkits enable you to run all your Domain server software as ServiceGuard packages. Each toolkit contains example scripts and package configuration files, together with a README file that explains how to customize the package for your needs. Toolkits are provided for the following Domain components:
 - FastTrack Server
 - Enterprise Server
 - Enterprise Server Pro
 - Proxy Server
 - Directory Server
 - Messaging Server
 - Collabra Server
 - Calendar Server

Refer to the *HP Domain Release Notes on HP-UX 10.20* (J1582-90112) or the *HP Domain Release Notes on HP-UX 11.0* (J1582-90128) for a discussion of recent changes to these products, as well as a description of problems and workarounds.

 Database Toolkits. These are provided to simplify the setup of ServiceGuard packages for your database software. Each toolkit contains example scripts and package configuration files, together

with a README file that explains how to customize the package for your needs. Toolkits are included for the following database products:

- Informix
- Oracle
- Progress
- Sybase

Compatibility Information and Installation Requirements

Compatibility

The Enterprise Cluster Master Toolkit requires the installation of the HP-UX operating system together with either MC/ServiceGuard (B3935BA) or ServiceGuard OPS Edition (B5161CA or B5161BA), formerly known as MC/LockManager.

Compatible versions of ServiceGuard and HP-UX are shown in the following table for the foundation monitor:

Table 1-1 Foundation Monitor Compatibility with ServiceGuard and HP-UX

Toolkit Name	Toolkit Version	HP-UX Version	ServiceGuard Version
Foundation Monitor	B.01.47	10.20 or greater	A.10.10 or greater

Compatible versions of MC/ServiceGuard and ServiceGuard OPS Edition

are shown in the following table for the database and internet toolkits:

Table 1-2 Database and Internet Toolkit Compatibility with MC/ServiceGuard and ServiceGuard OPS Edition

Master Toolkit	HP-UX Version	MC/ServiceGuard	ServiceGuard OPS Edition
B.01.01	HP-UX 10.20	A.10.10 or greater	A.10.07.01 or greater
B.01.01	HP-UX 11.0	A.11.01 or greater	A.11.01 or greater

Compatible versions of database and Internet scripts are shown in the following table:

 Table 1-3
 Script Compatibility with Internet Servers and Databases

Internet Server or Database Name	Internet Server or Database Version (as shown in swlist output)	Toolkit Version ("what" string)
FastTrack Server	B.03.01.05	B.01.02
Enterprise Server	B.03.06.00	B.01.02
Enterprise Server Pro	B.03.05.04	B.01.02
Proxy Server	B.03.05.04	B.01.02
Directory Server	B.03.01.03	B.01.02
Messaging Server	B.03.05.04	B.01.02
Collabra Server	B.03.05.01	B.01.02
Calendar Server	B.03.05.02	B.01.02
Informix	All	A.10.11
Oracle	7.3.x, 8.0.x	B.01.00
Sybase	10.0.2	A.10.11
Progress	7.3.A	A.10.11

Installation

Use the HP-UX swinstall command to install the Enterprise Cluster Master Toolkit on the cluster node where you plan to perform package configuration tasks. The locations of the specific toolkits are given in the next sections.

Location of Foundation Monitor Toolkit

The foundation monitor toolkit is found in the following directory:

Table 1-4 Directory Pathnames of Toolkits

Toolkit	Directory Pathname
HA Foundation Monitor	/opt/cmcluster/toolkit/foundation

Follow the instructions in the readme.pdf file that accompanies the toolkit.

Locations of Internet Toolkits

The Internet toolkits are found in the following directories:

Table 1-5 Directory Pathnames of Internet Toolkits

Internet Toolkit	Directory Pathname
FastTrack Server	/opt/cmcluster/toolkit/fasttrack
Enterprise Server	/opt/cmcluster/toolkit/domain
Enterprise Server Pro	/opt/cmcluster/toolkit/domain
Proxy Server	/opt/cmcluster/toolkit/domain
Directory Server	/opt/cmcluster/toolkit/domain
Messaging Server	/opt/cmcluster/toolkit/domain
Collabra Server	/opt/cmcluster/toolkit/domain
Calendar Server	/opt/cmcluster/toolkit/domain

Follow the instructions in the README file that accompanies the toolkit you wish to configure as a package.

Enterprise Cluster Master Toolkit Version B.01.01 Release Notes

Compatibility Information and Installation Requirements

Locations of Database Toolkits

The database toolkits are found in the following directories:

Table 1-6 Directory Pathnames of Database Toolkits

Database Toolkit	Directory Pathname
Informix	/opt/cmcluster/toolkit/informix
Oracle	/opt/cmcluster/toolkit/oracle
Sybase	/opt/cmcluster/toolkit/sybase
Progress	/opt/cmcluster/toolkit/progress

Follow the instructions in the README file that accompanies the toolkit you wish to configure as a package.

What Manuals are Available for this Version

For information about configuring packages using the toolkits, refer to the following manuals. In addition, be sure to review the README file that accompanies the toolkit you are using.

- Managing MC/ServiceGuard (B3936-90026)
- Configuring OPS Clusters with ServiceGuard OPS Edition (B5158-90026)

If you are a Domain user, you should refer to the *HP Domain Release Notes on HP-UX 10.20* (J1582-90112) or the *HP Domain Release Notes on HP-UX 11.0* (J1582-90128) for a discussion of recent changes to these products as well as a discussion of problems and workarounds.

Patches and Fixes in this Version

There are no patches or fixes in this version.

Known Problems and Workarounds

The following describes known problems with the Enterprise Cluster Master Toolkit and workarounds for them.

If you are a Domain user, you should refer to the *HP Domain Release Notes on HP-UX 10.20* (J1582-90112) or the *HP Domain Release Notes on HP-UX 11.0* (J1582-90128) for a discussion of additional problems and workarounds.

Naming of Netscape Server Instances

- What is the problem? If you configure multiple instances of the same Netscape server type, and the ServerID of one server is a substring of the ServerID of another server, ServiceGuard may fail the wrong package unexpectedly.
- What is the workaround? Choose distinct, non-overlapping instance names as in the following example:

ServerID1: httpd-default1
ServerID2: httpd-default2

Do not use httpd-default for ServerID1 and httpd-default1 for ServerID2.

Changed Directory Location and Port Setting for Enterprise Server (Version 3.6)

- What is the problem? In Netscape Enterprise Server (version 3.6), the installation directory and port setting have been modified.
- What is the workaround? In the runhalt script enterprise.sh (version

Enterprise Cluster Master Toolkit Version B.01.01 Release Notes **Known Problems and Workarounds**

B.01.02) line 51, modify the environment variable SERVER as follows, to reflect the new installation directory:

```
SERVER=/opt/ns-enterprise36/https-${SERVER_ID}
```

When accessing the administration server for Enterprise Server version 3.6, use port 17493. For example in your browser, use the following URL:

```
http://192.1.1.3:17493
```

where 192.1.1.3 is the IP address of the system on which you are running the administration server.

Failure of the uxwdog Monitoring Process

• What is the problem? In Enterprise Server version 3.6, a Unix daemon, uxwdog, now monitors the health of the web server daemon, known as https-<InstanceName>, where InstanceName is the name you give to a specific server instance. (The default daemon name is https-default.)

If the web server process terminates, the uxwdog daemon will automatically restart the web server daemon. The problem is that when the uxwdog daemon terminates with the web server still running, the administration server cannot be used to stop or start the web server. (This problem can be caused by using the command kill -9 <PID>, where <PID> is the process id of the uxwdog daemon.) Furthermore, the toolkit that is monitoring the uxwdog daemon will cause the package to fail over to the adoptive node, and it will fail to run on the adoptive node.

• What is the workaround? If the uxwdog daemon fails, the web server process should be manually killed as in the following:

```
kill -9 <PID>
```

where *<PID>* is the process id of the web server process. This will allow the web server to be started through the control of the administration server.

Software Availability in Native Languages

The Enterprise Cluster Master Toolkit is not available in native language versions.

Enterprise Cluster Master Toolkit Version B.01.01 Release Notes **Software Availability in Native Languages**