

14

Worldwide Response Center

HP 3000 APPLICATION NOTE #43

RUN TIME ABORTS



July 15, 1988
Document P/N 5958-5824R2832A

RESPONSE CENTER APPLICATION NOTES

HP 3000 APPLICATION NOTES are published by the Worldwide Response Center twice a month and are distributed with the Software Status Bulletin. These notes address topics where the volume of calls received at the Center indicates a need for addition to or consolidation of information available through HP support services.

Following this publication you will find a list of previously published notes and a Reader Comment Sheet. You may use the Reader Comment Sheet to comment on the note, suggest improvements or future topics, or to order back issues. We encourage you to return this form; we'd like to hear from you.

NOTICE

The information contained in this document is subject to change without notice.

HEWLETT-PACKARD MAKES NO WARRANTY OF ANY KIND WITH REGARD TO THIS MATERIAL, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. Hewlett-Packard shall not be liable for errors contained herein or for incidental or consequential damages in connection with the furnishing, performance or use of this material.

This document contains proprietary information which is protected copyright. All rights are reserved. Permission to copy all or part of this document is granted provided that the copies are not made or distributed for direct commercial advantage; that this copyright notice, and the title of the publication and its date appear; and that notice is given that copying is by permission of Hewlett-Packard Company. To copy otherwise, or to republish, requires prior written consent of Hewlett-Packard Company.

Copyright © 1988 by HEWLETT-PACKARD COMPANY

Run Time Aborts

1. INTRODUCTION

This note is intended for programmers who want the ability to trace, through the abort address, the location of an error in their program.

A run time abort is MPE's mechanism to handle an irrecoverable situation encountered when a process is executing and there is no user trap facility in place.

In this note, an examination of some of the causes of these run time aborts will be made. The steps that MPE executes once the decision to abort has been made, will be explained. The components of an abort and the messages will be explained in order to use that information, along with a compiler listing and PMAP, to trace the address to the source of the abort. Also included, are two examples of abort situations with detailed instructions on locating the source statement causing the abort.

2. WHAT CAUSES A RUN TIME ABORT?

An explanation of some of the causes of these aborts and why the decision to terminate an executing process was made, will help with the error detection process.

A. LIBRARY ROUTINE (SUBSYSTEM'S LIBRARIES):

A process might be aborted because a subsystem library routine has encountered a problem. Suppose a READ is done from a FORTRAN program. A FORTRAN library routine is called to do the I/O. If an unexpected EOF is detected or a data format problem occurs and the library routine cannot complete the operation, it may have to abort the program.

Library routines called by COBOL, SORT, RPG, BASIC (compiled), etc. may all encounter similar situations. Many times it is possible to programmatically tell the library routine, in advance, what to do if a particular error occurs. Programmers can even write their own customize error recovery routines called user trap routines.

B. MPE INTRINSICS:

An MPE intrinsic may abort a process - the cause depends very much on each individual intrinsic's requirements. The abort could be caused by a missing parameter, a bad parameter value or address being passed, or a parameter that is the wrong data type. Another possibility is that, in order to use the intrinsic, the program file must have some special capability (i.e., DS, MR, PH) but has not been prepped with these capabilities. In any case, the intrinsic decides the situation requires special attention and it asks MPE to abort the program.

C. HARDWARE/MPE:

For the protection of other users and the system as a whole, the HP3000 routinely checks for errors. These errors detected by the hardware or MPE could cause an abort. For instance, if a data value maximum is exceeded during an arithmetic operation, the hardware detects the problem. An example would be attempting to add +1 to the integer value 32767 which would result in an **INTEGER OVERFLOW**. The hardware might also encounter a bad instruction which would result in an **INVALID INSTRUCTION** error or an invalid address for code which would result in a **CST VIOLATION**.

MPE will abort a program when a stack requires more space than the programmer has specified as necessary or when a stack requires more than the maximum stack space allowed by MPE (32K). This results in a **STACK OVERFLOW**. This could be caused by the data stack actually being too large or possibly a recursive procedure call or looping situation. Each time the procedure is called, the data used by that procedure is placed on top of the stack. In an unchecked recursive call, data would continually be added to the stack until a **STACK OVERFLOW** occurred.

Another cause for aborts is the improper indexing of arrays or the destruction of pointers by other programming errors. If the index or pointer references an area that does not lie within the bounds of the stack, a **BOUNDS VIOLATION** will occur and MPE will abort the program.

This, of course, is not intended to be a complete list, but just some of the more common causes of abort situations the programmer may encounter.

3. THE STEPS IN MPE'S ABORT MECHANISM

If there is no user trap in effect and the system has made the decision to abort the process, MPE executes the following steps:

- A. The MPE error routines will print the abort address(es) and error messages.
- B. The process resources are given back as in a normal program termination. All files are closed. For new files, the data may be lost. Extra data segments (if private) are deleted. All RINS are unlocked and the data stack is deleted. The code segments are then unloaded.
- C. The Command Interpreter prints the final line - the abnormal termination message.

4. THE COMPONENTS OF AN ABORT MESSAGE

This is the standard format of an abort message:

```

#1          #2    #3    #4
[          ] [    ] [    ] [    ]
ABORT :PRMAST.PUB.PAYROLL.%0.%65:SYSL.%214.%1153

PROGRAM ERROR #20 :STACK OVERFLOW
[          ]
      v
      #5

[          ]
PROGRAM TERMINATED IN AN ERROR STATE. (CIERR 976)
```

- #1. This is the name, group, and account of the program that has aborted.
- #2. The first set of octal numbers is the abort address within the user code. The first of these numbers is the user code segment where the abort occurred, code segment 0. The second octal number is the code offset into this segment, the location of the instruction within the segment, %65.
- #3. This information and the following set of octal addresses will only appear if the abort occurred while executing SL code. SYSL indicates that the user code was calling a routine in SL.PUB.SYS when the abort occurred. This information also might have been PUSL indicating an address location in the SL of the local PUB group, or GUSL indicating an address in the SL of the local group other than PUB.
- #4. This next set of octal numbers are the code segment number and the code offset location that was being executed within the SL.
- #5. These message lines are the error messages giving the program error number and the cause of the abort, and CI's abnormal termination message.

5. WHAT IS NEEDED TO TRACE THE ABORT?

A. COMPILER LISTING

The following listings are needed to trace the abort address.

The programmer will need a compiler source listing that includes the code offsets and/or a symbolic table map. The different languages use options specified on the \$CONTROL line of the source file:

COBOLII	\$CONTROL MAP, VERBS
FORTRAN77	\$CONTROL CODE OFFSETS
PASCAL	\$CONTROL TABLES, CODE-OFFSETS
SPL	\$CONTROL MAP, ADR, INNERLIST
BBASIC	(LINE) 0001 GLOBAL COPTION ID, LABEL
BASIC/3000	\$CONTROL MAP
RPG	\$CONTROL MAP, CODE

Depending upon the compiler used, these listings will have some differences. In some cases, the compiler listing will have two columns of numbers on the left side of the source statements. One column is the sequence numbers or editor line numbers. The other column is the starting location of the machine instruction code for each source statement. In other cases, the code offsets will be listed below all of the source statements, listing the editor statement number next to its corresponding starting code location. See the compiler listing examples in appendix A and B of this note.

Note that the starting code locations are not consecutive locations because one high-level language statement can cause the compiler to issue many machine level instructions.

B. PMAP

Next, the programmer will need a Pmap. To get a Pmap listing, do the following:

```
:FILE SEGLIST;DEV=LP           (or the LDEV # of a printer)
:PREP FTNUSL,FTNP;PMAP
```

Refer to the Fortran example of the Pmap in appendix A of this note for the following explanation.

The Pmap for the Fortran program, FTNP, contains two code segments:

```
PROCESSDATA -- segment 0;
MAINPROG    -- segment 1.
```

The routines called from each of the code segments are listed below the segment name. The first routine that is listed within PROCESSDATA is PROCESSRTN. This routine is assigned STT 1 (Segment Transfer Table). This routine begins at word 0 of the code segment and, therefore, has a value of 0 under the "CODE" heading. The "ENTRY" point in the code segment is located at word 24. Each word of code for PROCESSRTN then follows until the last word of code is reached. This is a routine whose code is internal to this code segment.

The following routines beginning with FTN__ are Fortran routines that do the error trapping, range checking, and I/O. These are external routines residing in an SL. Notice that there are ?'s under the heading "SEG" for all of the external routines. These will be resolved at LOAD time when the :RUN command is executed. These external routines are CALLED from this code segment but the actual code resides elsewhere. The second internal routine that is listed is SUM, STT 2, beginning at word 743 in this code segment. The internal routine, ZERO, STT 3, begins at word 1062.

In code segment 1, MAINPROG, are three types of routines. The first routine that is listed is MAIN__ which is the main program outer block. This is internal to this code segment. The second routine (and most of the others) are external routines whose code resides in an SL. The

third routine, PROCESSRTN, is external to this code segment, but does reside with this program file. Its segment number is already resolved as residing in code segment 0, PROCESSDATA.

With these listings the abort address can now be traced.

6. HOW TO TRACE THE ABORT ADDRESS.

A. FORTRAN77 EXAMPLE

Please refer to the Fortran compiler listing and PMAP in Appendix A of this note for this tracing example.

```
ABORT :FTNP.PUB.FTNACCT.%0.%1030  
PROGRAM ERROR #24 :BOUNDS VIOLATION
```

The first octal number in this abort example (%0) is the program-relative number of the code segment in which the abort occurred. The second octal number (%1030) is the address of the instruction that was executing when the abort occurred. This instruction could not successfully complete. Therefore, identifying this instruction will give an important clue to the cause of the abort.

Another clue to keep in mind is the TYPE of error. Because this particular abort is a bounds violation, look for an operation that attempted to load or store outside the bounds of the data stack.

1) Locate the Segment.

Looking at the Pmap for FTNP.PUB.FTNACCT, locate the code segment which has the same relative segment number that appears in the abort message. In this example, code segment 0 is PROCESSDATA.

2) Locate the Routine/Procedure.

Next, determine which routine in PROCESSDATA was executing when the abort occurred. In the Pmap for this example, locate the second octal number (%1030). Begin by looking down the "CODE" column to find a code location that is less than the abort location, but the next location in this column is greater than the abort location. The addresses shown on the Pmap and in the abort message, are "absolute" addresses which are code locations relative to the start of the code segment. What is needed, however, is a code location relative to the start of one of the routines in the segment.

In this example, the abort occurred somewhere in the SUM routine. Code for this routine starts at location %743 which is less than the abort address, %1030, and the next code location is %1062 which is greater than %1030.

At this point the programmer has the general location of the problem. In many cases this is sufficient. If not, continue the trace to the specific code location.

Now convert the abort location to a routine-relative location. Do this by subtracting the starting code location for SUM from the abort code location. The

result is the abort location relative to the start of the routine.

```
    %1030
    % 743   (This is OCTAL subtraction.)
    -----
    % 65
```

The abort occurred while executing the 65th code instruction in the routine SUM.

3) Locate the Instruction.

To locate the instruction, refer next, to the compiler listing. Just how to locate the source statement that corresponds to the relative location that we have calculated, depends on the compiler used. Each may provide different information concerning code locations.

In this example, the program is a Fortran 77 program. The code locations on this listing were obtained by compiling with \$CONTROL CODE__OFFSETS. These code offsets are listed after all the source statements. The numbers under the "STMT" heading on the CODE__OFFSETS listing correspond to the statement numbers on the left side of the compiler source listing. Each statement number on the CODE__OFFSETS listing has a program code location (P-LOC) value associated with it. Looking at these P-LOC values, find a value that has a starting code location less than the calculated relative abort location, %65, with the next starting code location greater than %65. The code location that qualifies is at location %46, at statement number 6. This is the statement that was executing when the abort occurred.

4) Determine the cause

By examining the source statement, the reason for the abort may be obvious. The program can be corrected and the trace was successful.

Many times it is not so obvious, so a few items need to be considered:

- a. The type of abort that occurred;
- b. What typically causes this type of abort;
- c. What the code is actually doing when the source statement is executed.

In this example, the type of abort is a bounds violation. The most likely cause is a subscript going out of bounds. This possibility should be checked first. This source statement would result in code that loads a subscripted array element to the top of stack (TOS) and adds it to a simple variable already loaded on TOS; the result is stored back into the simple variable.

The subscript, I, happens to be the loop index. The bounds of the loop determines the values that will be used to subscript the array. The limit and step for the loop are actually passed in the parameters to the routine, SUM. It is very possible that the limit is too high and is out of the true bounds of the array (and our stack as well).

Now find where SUM is called from PROCESSDATA. It is being called from two locations. Examine the parameters that are being passed. What determines these

parameter values and what are the values? If this is not clear, a PRINT or WRITE statement could be added to show what these values are, before each call to SUM. A debugger could also be used to verify the values.

In this case, both calls to SUM are being passed the array, DATA. So where could the bounds of DATA be exceeded? DATA is dimensioned (12,NYRS). The LIMIT parameter will be either of these dimensioned, 12 or NYRS. In the line 16.000, SUM is called with the second parameter set to 122 instead of 12. This is the cause of the problem.

B. COBOLII EXAMPLE

Please refer to the COBOLII compiler listing and Pmap in Appendix B of this note for this tracing example. The Fortran 77 example provides more detailed information for tracing, so both examples should be read to have a good understanding of this process.

```
ABORT :COBP.PUB.COBACCT.%2.%154:SYSL.%43.%3476  
PROGRAM ERROR #24 :BOUNDS VIOLATION
```

In this COBOLII example, the abort actually occurred while executing a routine in SL.PUB.SYS. However, the programmer should start with the abort location in the program code where the SL routine was called. This is most likely a Library routine or intrinsic call that was caused to abort by an error in the program code.

1) Locate the Segment

Again use the Pmap to identify the segment reported by the abort address. The abort occurred in code segment %2. Looking at this example's Pmap, segment 2 is 100PROCESSDA02 which can also be identified in the source compiler listing as 100-PROCESS-DATA SECTION 02 in the main program.

2) Locate the Procedure

To determine which procedure was executing when the abort occurred, find a code location in the Pmap under the "CODE" heading that is less than the abort code location, %154, but the next location in this column is greater than %154. In this code segment, there is only one procedure that is internal to this segment, 100PROCESSDA02. (The segment name and the procedure have the same name.) The procedure COBEXSUB is called from this segment but resides in code segment 0 as shown by a 0 under the heading "SEG". All of the other routines are COBOLII Library routines residing in the SL. Therefore, the abort occurred while executing the %154 instruction in the the procedure 100PROCESSDA02. If there had been another internal procedure in this segment with a starting code location greater than the abort location, then the routine-relative location would need to be calculated as in the Fortran 77 example.

3) Locate the Instruction

From the Pmap, go to the PROCEDURE/VERB MAP of the main program where 100-PROCESS-DATA is located.

Note that each program and subprogram has its own Symbol Table Map and Procedure/Verb Map. Unlike the Pmap which is combined, these are maps of each individual program that is compiled with \$CONTROL MAP, VERBS.

This listing shows each procedure in this program and its relative PB (program base) location. Remember that the second half of the program's abort address is the code offset into the segment where the error occurred. This location, %154 is the %154 code instruction in the procedure, 100-PROCESS-DATA. Find this location by looking down the column labeled PB-LOC. The value needed is a PB-LOC value that is greater than the abort location, but less than the following PB-LOC value.

In this example, the largest PB-LOC is %131. Because there is no other PB-LOCation in this procedure, the verb located at %131 was the last to execute. The error occurred trying to execute this last DISPLAY statement.

4) Determine the Cause

Next, look at the source listing and locate this source DISPLAY statement to determine why the abort occurred. This statement is

```
DISPLAY TAB-PLAYER-NAME(PLX), TAB-PLAYER-NUM(PLY),  
TAB-BATTING-AVER(PLX).
```

The usual cause for a bounds violation is the improper indexing of an array. This array, TAB-PLAYER-RECORD, is indexed by PLX; however, the DISPLAY of one element in this array is subscripted by PLY. In Working-Storage, PLY has a value of 1000 which is meant to be the array index limit. This is in error because the array is defined as occurring 100 times.

The bounds error could have occurred while attempting to add elements to the array that exceeded its limit. Although the bounds violation would probably not have occurred while attempting to add the 101st entry, it would have occurred when the program tried to add an entry in a location that exceeded the data limit of the stack. Other data on the stack could have been overwritten before the bounds error occurred.

The array element, TAB-PLAYER-NUM, is mistakenly indexed by PLY which has a value of 1000. The COBOLII display routine in the SL attempted to display a location beyond the bounds of the stack and the abort occurred.

7. SUMMARY

The examples that were used are very simple programs, but the steps for tracing a run time abort are exactly the same for a large 10,000 line program with many subprograms, as well as, a small 100 line program. Take the steps one at a time.

- 1) Run a compiler listing with code locations or a map.
- 2) Prep with the Pmap option.
- 3) From the abort address, locate the code segment number on the Pmap.
- 4) Determine what procedure or routine was being called or performed at the time of the abort.

- 5) Then use the code offsets on the compiler listing or the map to identify the statement or instruction that was being executed at the time of the abort.
- 6) Once the instruction has been located, determine the possible causes for the abort. Knowing the program logic, the data, and what results are expected, is very useful in determining the likely cause. Locating the abort location sometimes is not conclusive. The abort could be the result of other programming errors and, therefore would point to the location of the abort, but not to the error itself.

For example, if a call was made to transfer data base information to a buffer and the buffer is too small to contain all of the information, then the following area of the data stack already containing valid data could be overwritten. If this overwritten area of the stack contains a stack marker, then a CST violation could occur. The program could not branch to a valid code location to continue executing. The abort address would point to the PCAL instruction that was made to an invalid location. It would not point to the transfer of data to the buffer which is the actual error.

1

PAGE 1 HEWLETT-PACKARD HP32116A.00.11
HP FORTRAN 77 (C) HEWLETT-PACKARD CO. 1986 WED, APR 6, 1988, 9:07 AM

```
0 1.000 $CONTROL SEGMENT 'MAINPROG'  
0 2.000 $CONTROL USLINIT, CODE_OFFSETS, RANGE  
1 3.000 WRITE(6,*) "HOW MANY YEARS?"  
2 4.000 READ(5,*) NYRS  
3 5.000 CALL PROCESSRTN(NYRS)  
4 6.000 STOP  
5 7.000 END  
0 8.000
```

C O D E O F F S E T S

STMT	P-LOC	STMT	P-LOC	STMT	P-LOC	STMT	P-LOC	STMT	P-LOC
1	000003	2	000024	3	000035	4	000037	5	000042

NUMBER OF ERRORS = 0 NUMBER OF WARNINGS = 0
PROCESSOR TIME 0: 0: 1 ELAPSED TIME 0: 0: 9
NUMBER OF LINES = 8

```

0      1.000      $CONTROL SEGMENT 'PROCESSDATA'
0      2.000      $CONTROL CODE OFFSETS, RANGE
1      3.000      SUBROUTINE PROCESSRTN(NYRS)
2      4.000      REAL DATA in (12,NYRS), TOTAL(NYRS), AVG(12)
2      5.000      C
3      6.000      PRINT *, "enter data now"
4      7.000      read *, DATA in
5      8.000      WRITE(6,*) "after read"
5      9.000      C
6      10.000     PRINT *, "call to zero"
7      11.000     CALL ZERO(TOTAL,NYRS)
8      12.000     CALL ZERO(AVG,12)
8      13.000     C
9      14.000     PRINT *, "first call to sum"
10     15.000     DO I = 1, NYRS
11     16.000     1 TOTAL(I)=SUM(DATA in(1,I),122,1)
12     17.000     1 END DO
12     18.000     1 C
13     19.000     PRINT *, "second call to sum"
14     20.000     DO I=1,12
15     21.000     1 AVG(I)=SUM(DATA in (I,1),NYRS,NYRS)/NYRS
16     22.000     1 END DO
16     23.000     1 C
17     24.000     WRITE(6,600) "YEARLY TOTALS", (I,TOTAL(I),I=1,NYRS)
17     25.000     C
18     26.000     WRITE(6,600) "MONTHLY AVGS", (I,AVG(I),I=1,NYRS)
19     27.000     600 FORMAT(1X,S/(I4,2X,F16.3))
19     28.000     C
20     29.000     700 RETURN
21     30.000     END

```

C O D E O F F S E T S

STMT	P-LOC	STMT	P-LOC	STMT	P-LOC	STMT	P-LOC	STMT	P-LOC
2	000026	2	000030	3	000074	4	000115	5	000133
6	000154	7	000175	8	000200	9	000206	10	000227
11	000237	12	000323	13	000332	14	000353	15	000355
16	000447	17	000457	18	000556	20	000660	21	000661

NUMBER OF ERRORS = 0 NUMBER OF WARNINGS = 0
 PROCESSOR TIME 0: 0: 2 ELAPSED TIME 0: 0:12
 NUMBER OF LINES = 30

```
0 1.000 $CONTROL SEGMENT 'PROCESSDATA'  
0 2.000 $CONTROL CODE OFFSETS, RANGE  
1 3.000 SUBROUTINE ZERO(ARY, LIMIT)  
2 4.000 REAL ARY(LIMIT)  
3 5.000 DO 1 I = 1, LIMIT  
4 6.000 1 1 ARY(I) = 0.0  
5 7.000 RETURN  
6 8.000 END
```

C O D E O F F S E T S

STMT	P-LOC	STMT	P-LOC	STMT	P-LOC	STMT	P-LOC	STMT	P-LOC
2	000003	3	000005	4	000015	5	000044	6	000045

NUMBER OF ERRORS = 0 NUMBER OF WARNINGS = 0
PROCESSOR TIME 0: 0: 1 ELAPSED TIME 0: 0: 8
NUMBER OF LINES = 8

1

```

0      1.000      $CONTROL SEGMENT 'PROCESSDATA'
0      2.000      $CONTROL CODE OFFSETS, RANGE
1      3.000      FUNCTION SUM(ARY, LIMIT, STEP)
2      4.000      REAL ARY(LIMIT)
3      5.000      INTEGER STEP
4      6.000      XSUM = 0.0
5      7.000      DO I = 1, LIMIT, STEP
6      8.000  1    XSUM = XSUM + ARY(I)
7      9.000  1    SUM = XSUM
8     10.000  1    END DO
9     11.000      RETURN
10    12.000      END

```

C O D E O F F S E T S

STMT	P-LOC	STMT	P-LOC	STMT	P-LOC	STMT	P-LOC	STMT	P-LOC
2	000003	4	000005	5	000007	6	000046	7	000070
8	000071	9	000112	10	000113				

NUMBER OF ERRORS = 0 NUMBER OF WARNINGS = 0
PROCESSOR TIME 0: 0: 1 ELAPSED TIME 0: 0: 8
NUMBER OF LINES = 12

PROGRAM FILE FTNP.PUB.FTNACCT

PROCESSDATA		0			
NAME	STT	CODE	ENTRY	SEG	
PROCESSRTN	1	0	24		
FTN_RANGE_ERR	4				?
FTN_E_RSLE	5				?
FTN_S_RSLE	6				?
FTN_E_WSLE	7				?
FTN_S_WSLE	10				?
FTN_DO_R4IO	11				?
FTN_DO_I4IO	12				?
FTN_DO_CHIO	13				?
FTN_E_WSFE	14				?
FTN_S_WSFE	15				?
FTN_DO_R4IOA	16				?
SUM	2	743	744		
FTN_LOOP_ERR	17				?
ZERO	3	1062	1063		
SEGMENT LENGTH		1150			
MAINPROG		1			
NAME	STT	CODE	ENTRY	SEG	
MAIN	1	0	1		
FTN_S_STOP	2				?

PROCESSRTN	3	0
FTN_E_RSLE	4	?
FTN_S_RSLE	5	?
FTN_E_WSLE	6	?
FTN_S_WSLE	7	?
FTN_DO_I4IO	10	?
FTN_DO_CHIO	11	?
FTN_F_EXIT	12	?
TERMINATE'	13	?

SEGMENT LENGTH 74

PRIMARY DB	0	INITIAL STACK	10240	CAPABILITY	600
SECONDARY DB	0	INITIAL DL	0	TOTAL CODE	1244
TOTAL DB	0	MAXIMUM DATA	?	TOTAL RECORDS	12
ELAPSED TIME	00:00:01.918			PROCESSOR TIME	00:00.711

1

COBOLII APPENDIX B
C

PAGE 0001 HEWLETT-PACKARD 32233A.01.07 [74] COBOL II/V FRI, APR 8, 1988,
10:57 AM Copyright HEWLETT-PACKARD CO. 1987

00001 COBCNTL 001000* COBCNTL.PUB.SYS Defaults are:
00002 COBCNTL 002000*CONTROL LIST,SOURCE,NOCODE,NOCROSSREF,ERRORS=100,NOVERBS,
WARN
00003 COBCNTL 003000*CONTROL LINES=60,NOMAP,MIXED,QUOTE=",NOSTDWARN,SYNC16
00004 001000\$CONTROL USLIMIT,MAP,VERBS
00006 001100
00007 001200 IDENTIFICATION DIVISION.
00008 001300
00009 001400 PROGRAM-ID. COBOLEX.
00010 001500 AUTHOR. NA RESPONSE CENTER.
00011 001600 DATE-WRITTEN. MAR. 15, 1988.
00012 001700
00013 001800 ENVIRONMENT DIVISION.
00014 001900
00015 002000 CONFIGURATION SECTION.
00016 002100 SOURCE-COMPUTER. HP-3000.
00017 002200 OBJECT-COMPUTER. HP-3000.
00018 002300
00019 002400 SPECIAL-NAMES.
00020 002500 CONDITION-CODE IS C-C.
00021 002600
00022 002700 INPUT-OUTPUT SECTION.
00023 002800 FILE-CONTROL.
00024 002900 SELECT PLAYER-FILE ASSIGN TO "PLAYER,DA".
00025 003000
00026 003100
00027 003200 DATA DIVISION.
00028 003300
00029 003400 FILE SECTION.
00030 003500
00031 003600 FD PLAYER-FILE LABEL RECORDS ARE STANDAR
RD
00032 003700 RECORD CONTAINS 80 CHAR
ACTERS.
00033 003800
00034 003900 01 FD-PLAYER-RECORD.
00035 004000 05 STAT-REC PIC X(80).
00036 004100
00037 004200 WORKING-STORAGE SECTION.
00038 004300
00039 004400 01 PLAYER-RECORD.
00040 004500 05 FILLER PIC X(2).
00041 004600 05 PLAYER-NUM PIC 9(4).
00042 004700 05 AT-BATS PIC S9(4).
00043 004800 05 HITS PIC S9(4).
00044 004900 05 PLAYER-NAME PIC X(62).
00045 005000 05 BATTING-AVER PIC S9V999 VALUE ZERO.
00046 005100

00047	005200	01	OUT-PLAYER-RECORD.	
00048	005300	05	FILLER	PIC X(2).
00049	005400	05	OUT-PLAYER-NUM	PIC 9(4).
00050	005500	05	OUT-AT-BATS	PIC S9(4).
00051	005600	05	OUT-HITS	PIC S9(4).
00052	005700	05	OUT-PLAYER-NAME	PIC X(62).
00053	005800	05	OUT-BATTING-AVER	PIC S9V999.
00054	005900			

```

PAGE 0002/COBTEXT COBOLEX
00055      006000 01  TAB-PLAYER-RECORD.
00056      006100      05  DISPLAY-TABLE OCCURS 100 TIMES INDEXED BY PLX.
00057      006200      10  FILLER                      PIC X(2).
00058      006300      10  TAB-PLAYER-NUM          PIC 9(4).
00059      006400      10  TAB-AT-BATS              PIC S9(4).
00060      006500      10  TAB-HITS                  PIC S9(4).
00061      006600      10  TAB-PLAYER-NAME          PIC X(62).
00062      006700      10  TAB-BATTING-AVER         PIC S9V999.
00063      006800
00064      006900 01  PLY                                PIC S9(4) COMP VALUE 100
0.
00065      007000
00066      007100 01  END-OF-FILE-IND                    PIC X VALUE "N".
00067      007200      88  END-OF-FILE                    VALUE "Y".
00068      007300
00069      007400*****
00070      007500*   BEGIN MAIN PROGRAM   *
00071      007600*****
00072      007700
00073      007800 PROCEDURE DIVISION.
00074      007900
00075      008000 000-MAIN-ROUTINE SECTION 01.
00076      008100
00077      008200      MOVE "N" TO END-OF-FILE-IND.
00078      008300
00079      008400      OPEN INPUT PLAYER-FILE.
00080      008500
00081      008600
00082      008700      SET PLX TO 1.
00083      008800      PERFORM 100-PROCESS-DATA
00084      008900          UNTIL END-OF-FILE.
00085      009000
00086      009100*****
00087      009200*   DO MORE PROCESSING   *
00088      009300*****
00089      009400
00090      009500      SET PLX TO 1.
00091      009600      PERFORM 200-RPT-DATA UNTIL PLX = PLY.
00092      009700      CLOSE PLAYER-FILE.
00093      009800      STOP RUN.
00094      009900
00095      010000 100-PROCESS-DATA SECTION 02.
00096      010100
00097      010200      READ PLAYER-FILE RECORD INTO PLAYER-RECORD
00098      010300          AT END MOVE "Y" TO END-OF-FILE-IND.
00099      010400
00100      010500      CALL "COBEXSUB" USING HITS, AT-BATS, BATTING-AVER.
00101      010600
00102      010700      IF PLX < PLY THEN
00103      010800          SET PLX UP BY 1.
00104      010900      MOVE HITS TO TAB-HITS(PLX).
00105      011000      MOVE AT-BATS TO TAB-AT-BATS(PLX).
00106      011100      MOVE BATTING-AVER TO TAB-BATTING-AVER(PLX).

```

00107	011200	MOVE PLAYER-NUM TO TAB-PLAYER-NUM(PLX).
00108	011300	MOVE PLAYER-NAME TO TAB-PLAYER-NAME(PLX).
00109	011400	DISPLAY TAB-PLAYER-NAME(PLX), TAB-PLAYER-NUM(PLY),
00110	011500	TAB-BATTING-AVER(PLX).

PAGE 0003/COBTEXT COBOLEX

00111	011600	
00112	011700	
00113	011800	200-RPT-DATA SECTION 03.
00114	011900	
00115	012000	SET PLX UP BY 1.
00116	012100	MOVE TAB-HITS(PLX) TO OUT-HITS.
00117	012200	MOVE TAB-AT-BATS(PLX) TO OUT-AT-BATS
00118	012300	MOVE TAB-BATTING-AVER(PLX) TO OUT-BATTING-AVER.
00119	012400	MOVE TAB-PLAYER-NUM(PLX) TO OUT-PLAYER-NUM.
00120	012500	MOVE TAB-PLAYER-NAME(PLX) TO OUT-PLAYER-NAME.
00121	012600	
00122	012700	CALL INTRINSIC "PRINT" USING OUT-PLAYER-RECORD,
00123	012800	-80,%0.
00124	012900	
00125	013000	

PAGE 0004/COBTEXT COBOLEX
 LINE# LVL SOURCE NAME
 R O J BZ

SYMBOL TABLE MAP
 BASE DISPL SIZE USAGE CATEGORY

FILE SECTION

00000	FD	PLAYER-FILE	Q+2: 000332	000106	SEQUENTIAL	
00034	01	FD-PLAYER-RECORD	Q+2: 000444	000120	DISP	AN
00035	05	STAT-REC	Q+2: 000444	000120	DISP	AN

WORKING-STORAGE SECTION

00039	01	PLAYER-RECORD	Q+2: 000564	000120	DISP	AN
00040	05	FILLER	Q+2: 000564	000002	DISP	AN
00041	05	PLAYER-NUM	Q+2: 000566	000004	DISP	N
00042	05	AT-BATS	Q+2: 000572	000004	DISP	NS
00043	05	HITS	Q+2: 000576	000004	DISP	NS
00044	05	PLAYER-NAME	Q+2: 000602	000076	DISP	AN
00045	05	BATTING-AVER	Q+2: 000700	000004	DISP	NS
00047	01	OUT-PLAYER-RECORD	Q+2: 000704	000120	DISP	AN
00048	05	FILLER	Q+2: 000704	000002	DISP	AN
00049	05	OUT-PLAYER-NUM	Q+2: 000706	000004	DISP	N
00050	05	OUT-AT-BATS	Q+2: 000712	000004	DISP	NS
00051	05	OUT-HITS	Q+2: 000716	000004	DISP	NS
00052	05	OUT-PLAYER-NAME	Q+2: 000722	000076	DISP	AN
00053	05	OUT-BATTING-AVER	Q+2: 001020	000004	DISP	NS
00055	01	TAB-PLAYER-RECORD	Q+2: 001024	017500	DISP	AN
00056	05	DISPLAY-TABLE	Q+2: 001024	000120	DISP	AN
		O				
		PLX	Q+2: 000000	000002	INDEX	NAME
00057	10	FILLER	Q+2: 001024	000002	DISP	AN
00058	10	TAB-PLAYER-NUM	Q+2: 001026	000004	DISP	N
00059	10	TAB-AT-BATS	Q+2: 001032	000004	DISP	NS
00060	10	TAB-HITS	Q+2: 001036	000004	DISP	NS
00061	10	TAB-PLAYER-NAME	Q+2: 001042	000076	DISP	AN
00062	10	TAB-BATTING-AVER	Q+2: 001140	000004	DISP	NS
00064	01	PLY	Q+2: 020524	000002	COMP	NS
00066	01	END-OF-FILE-IND	Q+2: 020526	000001	DISP	AN
00067	88	END-OF-FILE				

STORAGE LAYOUT	(#ENTRYS)	(VALUES IN WORDS)
INDEX TABLE	(1)	Q+1: 000000 000001
START TABLE	(3)	Q+1: 000001 000006
DISPLAY BUFFER		Q+1: 000007 000144
USER LABEL POINTER		Q+1: 000153 000002
FILE TABLE	(1)	Q+1: 000155 000043
TALLY		Q+1: 000220 000002
USER STORAGE		Q+1: 000222 010032
RUNNING PICTURES		Q+1: 010254 000003
FIXUP AREA	(1)	Q+1: 010257 000011

POINTER AREA

- DB-5 CURRENT VALUE OF Q FOR STORAGE AREA
- DB-4 'PARM=' WORD - SWITCHES
- Q+1 WORD ADDRESS OF STORAGE AREA
- Q+2 BYTE ADDRESS OF STORAGE AREA
- Q+3 DECIMAL POINT & COMMA
- Q+4 # PARMS AND CURRENCY SIGN
- Q+5 BYTE ADDRESS OF 9 WORD TEMPCELLS
- Q+6 WORD ADDRESS OF 1 WORD TEMPCELLS
- Q+7 BYTE ADDRESS OF LITERAL POOL
- Q+10 PLABEL OF SORT OR MERGE OUTPUT
- Q+11 WORD ADDRESS OF START TABLE
- Q+12 WORD ADDRESS OF USER LABEL POINTER
- Q+13 PREVIOUS VALUE OF DB-5
- Q+14 RESERVED

PAGE 0006/COBTEXT	COBOLEX	PROCEDURE/VERB MAP	INTERNAL NAME
LINE #	PB-LOC	# PROCEDURE NAME/VERB	
00075	000003	0 000-MAIN-ROUTINE	000MAINROUTI01'
00077	000003	MOVE	
00079	000006	OPEN	
00082	000036	SET	
00084	000040	PERFORM	
00090	000052	SET	
00091	000054	PERFORM	
00092	000071	CLOSE	
00093	000076	STOP	
00095	000003	100-PROCESS-DATA	100PROCESSDA02'
00098	000003	READ	
00098	000003	MOVE	
00098	000025	MOVE	
00100	000030	CALL	
00102	000037	IF	
00103	000046	SET	
00104	000054	MOVE	
00105	000065	MOVE	
00106	000076	MOVE	
00107	000107	MOVE	
00108	000120	MOVE	
00110	000131	DISPLAY	
00113	000003	200-RPT-DATA	200RPTDATA03'
00115	000003	SET	
00116	000010	MOVE	
00117	000034	MOVE	
00118	000045	MOVE	
00119	000056	MOVE	
00120	000067	MOVE	
00123	000100	CALL	

0 ERRORS, 0 QUESTIONABLE, 0 WARNINGS

DATA AREA IS %010270 WORDS.

CPU TIME = 0:00:04. WALL TIME = 0:00:09.

C

PAGE 0001 HEWLETT-PACKARD 32233A.01.07 [74] COBOL II/V FRI, APR 8, 1988,
11:07 AM Copyright HEWLETT-PACKARD CO. 1987

```
00001 COBCNTL 001000* COBCNTL.PUB.SYS Defaults are:
00002 COBCNTL 002000*CONTROL LIST,SOURCE,NOCODE,NOCROSSREF,ERRORS=100,NOVERBS,
WARN
00003 COBCNTL 003000*CONTROL LINES=60,NOMAP,MIXED,QUOTE=",NOSTDWARN,SYNC16
00004 001000$CONTROL SUBPROGRAM, MAP, VERBS
00006 001100
00007 001200 IDENTIFICATION DIVISION.
00008 001300
00009 001400 PROGRAM-ID. COBEXSUB.
00010 001500 AUTHOR. NA RESPONSE CENTER.
00011 001600 DATE-WRITTEN. MAR. 15, 1988.
00012 001700
00013 001800 ENVIRONMENT DIVISION.
00014 001900
00015 002000 DATA DIVISION.
00016 002100
00017 002200 WORKING-STORAGE SECTION.
00018 002300
00019 002400 LINKAGE SECTION.
00020 002500
00021 002600 01 HITS PIC S9(4).
00022 002700 01 AT-BATS PIC S9(4).
00023 002800 01 BATTING-AVER PIC S9V999.
00024 002900
00025 003000*****
00026 003100* BEGIN SUB PROGRAM *
00027 003200*****
00028 003300
00029 003400 PROCEDURE DIVISION USING HITS, AT-BATS, BATTING-AVER.
00030 003500
00031 003600 000-SUB-ROUTINE.
00032 003700
00033 003800 MOVE 0 TO BATTING-AVER.
00034 003900 COMPUTE BATTING-AVER = HITS / AT-BATS.
00035 004000
00036 004100 GOBACK.
```

PAGE 0002/COBTEXT COBEXSUB
LINE# LVL SOURCE NAME
R O J BZ

SYMBOL TABLE MAP
BASE DISPL SIZE USAGE CATEGORY

LINKAGE SECTION

00021	01	HITS	Q+20	000000	000004	DISP	NS
00022	01	AT-BATS	Q+21	000000	000004	DISP	NS
00023	01	BATTING-AVER	Q+22	000000	000004	DISP	NS

PAGE 0003/COBTEXT COBEXSUB
 LINE# LVL SOURCE NAME
 R O J BZ

SYMBOL TABLE MAP
 BASE DISPL SIZE USAGE CATEGORY

STORAGE LAYOUT	(#ENTRYS)	(VALUES IN WORDS)
FIRST TIME FLAG		Q+1: 000000 000001
START TABLE	(1)	Q+1: 000001 000002
USER LABEL POINTER		Q+1: 000003 000002
TALLY		Q+1: 000005 000002
RUNNING PICTURES		Q+1: 000007 000003
FIXUP AREA	(1)	Q+1: 000012 000011
9 WORD TEMP CELLS	(3)	Q+1: 000023 000033

POINTER AREA

DB-5 CURRENT VALUE OF Q FOR STORAGE AREA
 DB-4 'PARM=' WORD - SWITCHES
 Q+1 WORD ADDRESS OF STORAGE AREA
 Q+2 BYTE ADDRESS OF STORAGE AREA
 Q+3 DECIMAL POINT & COMMA
 Q+4 # PARMS AND CURRENCY SIGN
 Q+5 BYTE ADDRESS OF 9 WORD TEMPCELLS
 Q+6 WORD ADDRESS OF 1 WORD TEMPCELLS
 Q+7 BYTE ADDRESS OF LITERAL POOL
 Q+10 PLABEL OF SORT OR MERGE OUTPUT
 Q+11 WORD ADDRESS OF START TABLE
 Q+12 WORD ADDRESS OF USER LABEL POINTER
 Q+13 PREVIOUS VALUE OF DB-5
 Q+14 RESERVED
 Q+15 TO Q+17 WORD ADDRESSES FOR PARMs/EXTs
 Q+20 TO Q+22 BYTE ADDRESSES FOR PARMs/EXTs

PAGE 0004/COBTEXT	COBEXSUB	PROCEDURE/VERB MAP	INTERNAL NAME
LINE #	PB-LOC	# PROCEDURE NAME/VERB	
00031	000030	0 000-SUB-ROUTINE	COBEXSUB
00033	000030	MOVE.	
00034	000032	COMPUTE	
00036	000074	EXIT PGM	

0 ERRORS, 0 QUESTIONABLE, 0 WARNINGS

DATA AREA IS %000056 WORDS.
CPU TIME = 0:00:01. WALL TIME = 0:00:04.

PROGRAM FILE COBP.PUB.COBACKT

COBEXSUB	0				
NAME	STT	CODE	ENTRY	SEG	
COBEXSUB	1	0	3		
DIVD	4				?
COBEXSUB'S	2	0	0		
COBEXSUB'	3	107	107		
SEGMENT LENGTH		234			
200RPTDATA03'	1				
NAME	STT	CODE	ENTRY	SEG	
200RPTDATA03'	1	0	0		
PRINT	3				?
IO'CLOSE'FILES	4				?
TERMINATE'	5				?
COBOLEX	2	114	114		
DEBUG	6				?
COBOLTRAP	7				?
000MAINROUTI01'	10				3
100PROCESSDA02'	11				2
IO'FTAB'INIT'C	12				?
SEGMENT LENGTH		254			
100PROCESSDA02'	2				
NAME	STT	CODE	ENTRY	SEG	
100PROCESSDA02'	1	0	0		
COBEXSUB	2				0
C'DISPLAY	3				?
C'DISPLAY'FIN	4				?
C'DISPLAY'INIT	5				?
IO'READSEQ'C	6				?
SEGMENT LENGTH		220			
000MAINROUTI01'	3				
NAME	STT	CODE	ENTRY	SEG	
000MAINROUTI01'	1	0	0		
IO'CLOSE'FILES	2				?
IO'CLOSE'C	3				?
IO'OPEN'C	4				?

TERMINATE' 5 ?
SEGMENT LENGTH 114

PRIMARY DB	0	INITIAL STACK	2260	CAPABILITY	600
SECONDARY DB	10346	INITIAL DL	0	TOTAL CODE	1044
TOTAL DB	10346	MAXIMUM DATA	?	TOTAL RECORDS	54
ELAPSED TIME	00:00:01.847			PROCESSOR TIME	00:00.818

BACK ISSUE INFORMATION

Following is a list of the Application Notes published to date. If you would like to order single copies of back issues please use the *Reader Comment Sheet* attached and indicate the number(s) of the note(s) you need.

<u>Note #</u>	<u>Published</u>	<u>Topic</u>
1	2/21/85	<i>Printer Configuration Guide (superseded by note #4)</i>
2	10/15/85	<i>Terminal types for HP 3000 HPIB Computers (superseded by note #13)</i>
3	4/01/86	<i>Plotter Configuration Guide</i>
4	4/15/86	<i>Printer Configuration Guide - Revised</i>
5	5/01/86	<i>MPE System Logfile Record Formats</i>
6	5/15/86	<i>Stack Operation</i>
7	6/01/86	<i>COBOL II/3000 Programs: Tracing Illegal Data</i>
8	6/15/86	<i>KSAM Topics: COBOL's Index I/O; File Data Integrity</i>
9	7/01/86	<i>Port Failures, Terminal Hangs, TERMDISM</i>
10	7/15/86	<i>Serial Printers - Configuration, Cabling, Muxes</i>
11	8/01/86	<i>System Configuration or System Table Related Errors</i>
12	8/15/86	<i>Pascal/3000 - Using Dynamic Variables</i>
13	9/01/86	<i>Terminal Types for HP 3000 HPIB Computers - Revised</i>
14	9/15/86	<i>Laser Printers - A Software and Hardware Overview</i>
15	10/01/86	<i>FORTTRAN Language Considerations - A Guide to Common Problems</i>
16	10/15/86	<i>IMAGE: Updating to TurboIMAGE & Improving Data Base Loads</i>
17	11/01/86	<i>Optimizing VPLUS Utilization</i>
18	11/15/86	<i>The Case of the Suspect Track for 792X Disc Drives</i>
19	12/01/86	<i>Stack Overflows: Causes & Cures for COBOL II Programs</i>
20	1/01/87	<i>Output Spooling</i>
21	1/15/87	<i>COBOLII and MPE Intrinsic</i>
22	2/15/87	<i>Asynchronous Modems</i>
23	3/01/87	<i>VFC Files</i>
24	3/15/87	<i>Private Volumes</i>
25	4/01/87	<i>TurboIMAGE: Transaction Logging</i>
26	4/15/87	<i>HP 2680A, 2688A Error Trailers</i>
27	5/01/87	<i>HPTrend: An Installation and Problem Solving Guide</i>
28	5/15/87	<i>The Startup State Configurator</i>
29	6/01/87	<i>A Programmer's Guide to VPLUS/3000</i>
30	6/15/87	<i>Disc Cache</i>
31	7/01/87	<i>Calling the CREATEPROCESS Intrinsic</i>
32	7/15/87	<i>Configuring Terminal Buffers</i>
33	8/15/87	<i>Printer Configuration Guide</i>
34	9/01/87	<i>RIN Management (Using COBOLII Examples) (A)</i>
34	10/01/87	<i>Process Handling (Using COBOLII Examples) (B)</i>
35	10/15/87	<i>HPDESK IV (Script files, FSC, and Installation Considerations)</i>
34	11/01/87	<i>Extra Data Segments (Using COBOLII Examples) (C)</i>
36	12/01/87	<i>Tips for the DESK IV Administrators</i>
37	12/15/87	<i>AUTOINST: Trouble-free Updates</i>
38	1/01/88	<i>Store/Restore Errors</i>
39	1/15/88	<i>MRJE Emulates a HASP Workstation</i>
40	2/01/88	<i>HP 250 / 260 to HP 3000 Communications Guidelines</i>
41	4/01/88	<i>MPE File Label Revealed - Revised 6/15/88</i>
42	7/15/88	<i>System Interrupts</i>
43	7/15/88	<i>Run Time Aborts</i>